



## HARFORD COUNTY PUBLIC SCHOOLS GRADE 2 MATHEMATICS CURRICULUM

[CLICK HERE](#) for the Maryland College and Career Ready Standards for Grade 2 Mathematics.

### Topic 1: Fluently Add and Subtract Within 20

**Primary Resource:** *enVision Mathematics Grade 2*, Savvas Learning Company, 2024.

#### Enduring Understandings

- **Operations Meanings and Relationships** - There are multiple interpretations of addition and subtraction of rational numbers, and the operations are related.
- **Basic Facts and Algorithms** - Some strategies for basic facts and most algorithms for operations with rational numbers, both mental math and paper and pencil, use equivalence to transform calculations into simpler ones.
- **Practices, Processes, and Proficiencies** - Mathematics content and processes are applied to solve problems.

#### Essential Question

- What are strategies for finding addition and subtraction facts?

Lesson Title	Lesson Overview	Standards
Addition Fact Strategies	<u>Counting on</u> is a strategy that can be used to find sums. The order of the addends does not change the sum.	2.OA.B.2
Doubles and Near Doubles	Basic addition facts that are near doubles can be found using a related doubles fact.	2.OA.B.2
Make a 10 to Add	Some addition facts can be found by changing to an equivalent fact with 10.	2.OA.B.2
Addition Fact Patterns	Patterns in 0-10 addition facts table are useful for adding numbers and for developing mental math strategies and number sense.	2.OA.B.2



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

Count on and Count Back to Subtract	A number line is a tool you can use to help you count on or count back to subtract.	2.OA.B.2
Think Addition to Subtract	Addition and subtraction have an inverse relationship. The inverse relationship between addition and subtractions can be used to find subtraction facts; every subtraction fact has a related addition fact.	2.OA.B.2
Make a 10 to Subtract	Some subtraction facts can be simplified by making use of the numbers' relationship to 10.	2.OA.B.2
Practice Addition and Subtraction Facts	The addends determine efficient strategies, such as making 10 or using doubles facts, for finding addition facts. "Think of a related addition fact" is an efficient strategy for finding a subtraction fact.	2.OA.B.2
Solve Addition and Subtraction Word Problems	Objects, diagrams, and equations can help you solve different types of word problems.	2.OA.A.1 2.OA.B.2
Problem Solving: Construct Arguments	Good math thinkers use math to explain why they are right. They can talk about the math that others do, too.	MP.3



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

**Topic 2: Work with Equal Groups**

**Primary Resource:** *enVision Mathematics Grade 2*, Savvas Learning Company, 2024.

**Enduring Understandings**

- **Equivalence** - Any number, measure, numerical expression, algebraic expression, or equation can be represented in an infinite number of ways that have the same value. A whole number can be broken into groups, but the total stays the same. For example, 12 is equivalent to 3 groups of 4 and 4 groups of 3. An array can be used to illustrate this equivalence.
- **Practices, Processes, and Proficiencies** - Mathematics content and processes are applied to solve problems.

**Essential Questions**

- How can you show even and odd numbers?
- How do arrays relate to repeated addition?

Lesson Title	Lesson Overview	Standards
Even and Odd Numbers	Numbers can be classified as even or odd by showing numbers as two equal parts.	2.OA.C.3 2.OA.B.2
Continue Even and Odd Numbers	A group of objects (or numbers) can also be classified as even or odd by analyzing skip-counting patterns. An even number can be written as a sum of equal addends.	2.OA.C.3 2.OA.B.2
Use Arrays to Find Totals	An array shows equal groups, so you can write equations using repeated addition to find the total number of objects in an array.	2.OA.C.4 2.OA.B.2
Make Arrays to Find Totals	You can make arrays and write equations using repeated addition to solve problems.	2.OA.C.4 2.OA.B.2
Problem Solving: Model with Math	Good math thinkers use math what they know to show and solve problems.	MP.4



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

**Topic 3: Add Within 100 Using Strategies**

**Primary Resource:** *enVision Mathematics Grade 2*, Savvas Learning Company, 2024.

**Enduring Understandings**

- **The Base Ten Numeration System** - The base ten numeration system is a scheme for recording numbers using digits 0-9, groups of ten, and place value. An understanding of the base ten numeration system is essential for using various addition and subtraction strategies.
- **Basic Facts and Algorithms** - There is more than one algorithm for each of the operations with rational numbers. Some strategies for basic facts and most algorithms for operations with rational numbers, both mental math and paper and pencil, use equivalence to transform calculations into simpler ones.
- **Practices, Processes, and Proficiencies** - Mathematics content and processes are applied to solve problems.

**Essential Question**

- What are strategies for adding numbers to 100?

Lesson Title	Lesson Overview	Standards
Add Tens and Ones on a Hundred Chart	Patterns on a hundred chart can be used to add numbers and to develop mental math strategies and number sense.	2.NBT.B.5 2.NBT.B.9
Add Tens and Ones on an Open Number Line	Two-digit numbers can be broken apart using tens and ones and added in different ways. You can represent how you break apart and add numbers with hops or jumps on an open number line.	2.NBT.B.5 2.NBT.B.9
Break Apart Numbers to Add	Two-digit numbers can be broken apart using tens and ones and added in different ways.	2.NBT.B.5 2.NBT.B.9
Add Using Compensation	When adding two-digit numbers, you can add an amount to one addend and subtract the same amount from another addend to make addition easier.	2.NBT.B.5
Practice Adding Using Strategies	There are different ways to add two-digit numbers. Certain strategies may be better to use for a problem than others.	2.NBT.B.5 2.NBT.B.9



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

Solve One-Step and Two-Step Problems	Some problems can be solved in one step. Other problems can be solved in two-steps- first by solving a sub-problem or by answering a hidden question, and then by using that answer to solve the original problem.	2.OA.A.1
Problem Solving: Construct Arguments	Good math thinkers know how to choose the right strategy to solve problems and use math to explain why they are right. They can talk about the math that others do, too.	MP.3



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

**Topic 4: Fluently Add Within 100**

**Primary Resource:** *enVision Mathematics Grade 2*, Savvas Learning Company, 2024.

**Enduring Understandings**

- **The Base Ten Numeration System** - The base ten numeration system is a scheme for recording numbers using digits 0-9, groups of ten, and place value. An understanding of the base ten numeration system is essential for using various addition and subtraction strategies.
- **Basic Facts and Algorithms** - There is more than one algorithm for each of the operations with rational numbers. Some strategies for basic facts and most algorithms for operations with rational numbers, both mental math and paper and pencil, use equivalence to transform calculations into simpler ones.
- **Practices, Processes, and Proficiencies** - Mathematics content and processes are applied to solve problems.

**Essential Question**

- What are strategies for adding numbers to 100?

Lesson Title	Lesson Overview	Standards
Add 2-Digit Numbers Using Models	Strategies for adding two-digit numbers involve breaking numbers apart using place value and joining tens and ones in either order.	2.NBT.B.5 2.NBT.B.9
Continue to add 2-Digit Numbers Using Models	Strategies for adding two-digit numbers involve breaking numbers apart using place value and joining tens and ones in either order. Sometimes 10 ones can be composed to make 1 ten.	2.NBT.B.5 2.NBT.B.9 2.OA.A.1
Add with Partial sums	One way to add two-digit numbers is to break the numbers into tens and ones, add the tens and add the ones in either order, and then add these partial sums to find the total.	2.NBT.B.5 2.OA.A.1 2.NBT.B.9
Add Using Mental Math and Partial Sums	One way to add two-digit numbers is to break the numbers into tens and ones, add the tens and add the ones in either order, and then add these partial sums to find the total.	2.NBT.B.5 2.NBT.B.9
Break Apart Numbers and Add Using Mental Math	One way to add two-digit numbers is to break just one addend into tens and ones, add the tens to the other addend, and then add the ones.	2.NBT.B.5 2.NBT.B.9



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

Add More Than Two 2-Digit Numbers	Strategies for adding two 2-digit numbers can be extended to adding more than two 2-digit numbers. Numbers can be added in any order.	2.NBT.B.6 2.NBT.B.5 2.NBT.B.9
Practice Adding Using Strategies	There are several addition strategies that can be used to add more than two numbers. Numbers can be added in any order.	2.NBT.B.5 2.NBT.B.6 2.NBT.B.9
Solve One-Step and Two-Step Problems	Some problems can be solved in one step. Other problems can be solved in two steps – first, by solving a sub-problem or by answering a hidden question, and then by using that answer to solve the original problem.	2.OA.A.1 2.NBT.B.5 2.NBT.B.6
Problem Solving: Model with Math	Good math thinkers use math they know to show and solve problems.	MP.4



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

**Topic 5: Subtract Within 100 Using Strategies**

**Primary Resource:** *enVision Mathematics Grade 2*, Savvas Learning Company, 2024.

**Enduring Understandings**

- **The Base Ten Numeration System** - The base ten numeration system is a scheme for recording numbers using digits 0-9, groups of ten, and place value. An understanding of the base ten numeration system is essential for using various addition and subtraction strategies.
- **Basic Facts and Algorithms** - There is more than one algorithm for each of the operations with rational numbers. Some strategies for basic facts and most algorithms for operations with rational numbers, both mental math and paper and pencil, use equivalence to transform calculations into simpler ones.
- **Practices, Processes, and Proficiencies** - Mathematics content and processes are applied to solve problems.

**Essential Question**

- What are strategies for subtracting numbers to 100?

Lesson Title	Lesson Overview	Standards
Subtract Tens and Ones on a Hundred Chart	Patterns on a hundred chart can be used to subtract numbers and to develop mental math strategies and number sense.	2.NBT.B.5 2.NBT.B.9
Count Back to Subtract on an Open Number Line	Two-digit numbers can be broken apart using tens and ones to subtract in different ways. You can represent how you break apart and subtract numbers with hops or jumps on an open number line.	2.NBT.B.5 2.NBT.B.9
Add up to Subtract Using an Open Number Line	Two-digit numbers can be broken apart using tens and ones to subtract in different ways. You can represent how you break apart and subtract numbers with hops or jumps on an open number line. You can count back or count up to subtract.	2.NBT.B.5 2.NBT.B.9
Break Apart Numbers to Subtract	One-digit numbers can be broken apart to make it easier to subtract them mentally.	2.NBT.B.5 2.NBT.B.9
Subtract Using Compensation	When subtracting two-digit numbers, you can add the same amount to both numbers in the problem, or you can subtract the same amount from both numbers in the problem, to make subtraction easier.	2.NBT.B.5 2.NBT.B.9



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

Practice Subtracting Using Strategies	There are different ways to subtract 2-digit numbers. Certain strategies may be better to use for a problem than others.	2.NBT.B.5 2.NBT.B.9
Solve One-Step and Two-Step Problems	You can use bar diagram, equations, and the relationship between addition and subtraction to help you solve one- and two-step word problems. In the case of two-step problems, you need to find the answer to the first step, and then use it to solve the second step.	2.OA.A.1 2.NBT.B.5
Problem Solving: Critique Reasoning	Good Math thinkers use math to explain why they are right. They can talk about the math that others do, too.	MP.3



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

**Topic 6: Fluently Subtract Within 100**

**Primary Resource:** *enVision Mathematics Grade 2*, Savvas Learning Company, 2024.

**Enduring Understandings**

- **The Base Ten Numeration System** - The base ten numeration system is a scheme for recording numbers using digits 0-9, groups of ten, and place value. An understanding of the base ten numeration system is essential for using various addition and subtraction strategies.
- **Basic Facts and Algorithms** - There is more than one algorithm for each of the operations with rational numbers. Some strategies for basic facts and most algorithms for operations with rational numbers, both mental math and paper and pencil, use equivalence to transform calculations into simpler ones.
- **Practices, Processes, and Proficiencies** - Mathematics content and processes are applied to solve problems.

**Essential Question**

- What are strategies for subtracting numbers to 100?

Lesson Title	Lesson Overview	Standards
Subtract 1-Digit Numbers Using Models	When you use place-value materials to subtract a one-digit whole number from a two-digit whole number, sometimes you need to decompose 1 ten as 10 ones.	2.NBT.B.5 2.NBT.B.9
Subtract 2-Digit Numbers Using Models	When you use place-value materials to subtract a two-digit whole number from a two-digit whole number, sometimes you need to decompose 1 ten as 10 ones. When subtracting, you can start with the tens or the ones.	2.NBT.B.5 2.NBT.B.9
Subtract Using Partial Differences	When subtracting two-digit numbers, you can subtract the tens and then subtract the ones by making a 10.	2.NBT.B.5 2.NBT.B.9 2.OA.A.1
Continue to Subtract Using Partial Differences	Two-digit numbers can be broken apart to make it easier to subtract them mentally.	2.NBT.B.5 2.NBT.B.9
Practice Subtracting	Subtraction problems involving two-digit numbers can be solved using subtraction strategies.	2.NBT.B.5 2.NBT.B.9



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

Solve One-Step and Two-Step Problems	Two-step word problems can be solved by first identifying and solving a hidden question. The answer to the hidden question is then used to answer the question given in the problem.	2.OA.A.1 2.NBT.B.5
Problem Solving: Reasoning	A bar diagram can be used to identify the relationship between quantities in a word problem and the operation(s) needed to solve it.	MP.2



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

**Topic 7: More Solving Problems Involving Addition and Subtraction**

**Primary Resource:** *enVision Mathematics Grade 2*, Savvas Learning Company, 2024.

**Enduring Understandings**

- **The Base Ten Numeration System** - The base ten numeration system is a scheme for recording numbers using digits 0-9, groups of ten, and place value. An understanding of the base ten numeration system is essential for using various addition and subtraction strategies.
- **Basic Facts and Algorithms** - There is more than one algorithm for each of the operations with rational numbers. Some strategies for basic facts and most algorithms for operations with rational numbers, both mental math and paper and pencil, use equivalence to transform calculations into simpler ones.
- **Practices, Processes, and Proficiencies** - Mathematics content and processes are applied to solve problems.

**Essential Question**

- How can you solve word problems that use adding and subtracting?

Lesson Title	Lesson Overview	Standards
Represent Addition and Subtraction Problems	A bar diagram can be used to show the relationship between quantities in a real-world problem, and an equation can be written to represent that relationship.	2.OA.A.1 2.NBT.B.5
Mixed Practice: Solve Addition and Subtraction Problems	A bar diagram can be used to show the relationship between quantities in a real-world problem, and an equation can be written to represent that relationship. Strategies for adding and subtracting whole numbers can be used to find unknowns.	2.OA.A.1 2.NBT.B.5
Continue Practice with Addition and Subtraction Problems	A bar diagram can be used to show the relationship between quantities in a real-world problem, and an equation can be written to represent that relationship. Strategies for adding and subtracting whole numbers can be used to find unknowns.	2.OA.A.1 2.NBT.B.5
Solve Two-Step Problems	Sometimes a problem has an unstated, or hidden, question that you need to answer before you can find the final answer.	2.OA.A.1 2.NBT.B.5
Continue to Solve Two-Step Problems	Sometimes the answer to one problem is needed to find the answer to another problem.	2.OA.A.1 2.NBT.B.5



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

Make True Equations	An equation can have different numerical expressions on each side of the equal sign, but each has the same value.	2.NBT.B 2.OA.B.2
Continue to Make True Equations	An equation can have different numerical expressions on each side of the equal sign, but each has the same value.	2.NBT.B
Problem Solving: Reasoning	Reasoning can be used to identify relationships between quantities in real-world problems.	MP.2



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

**Topic 8: Work with Time and Money**

**Primary Resource:** *enVision Mathematics Grade 2*, Savvas Learning Company, 2024.

**Enduring Understandings**

- **Measurement** - Some attributes of objects are measurable and can be quantified using unit amounts. Time can be measured and expressed using the units of hours and minutes. Specific coins and bills have unique values expressed as a certain number of cents or a certain number of dollars.
- **Equivalence** - Any number, measure, numerical expression, algebraic expression, or equation can be represented in an infinite number of ways that have the same value. There are different ways to show the same amount of money and the same amount of time.
- **Practices, Processes, and Proficiencies** - Mathematics content and processes are applied to solve problems.

**Essential Questions**

- How can you solve problems about counting money or telling time to the nearest 5 minutes?

Lesson Title	Lesson Overview	Standards
Solve Problems with Coins	Each kind of coin has a specific value unrelated to its physical size.	2.MD.C.8 2.NBT.A.2
Continue to Solve Problems with Coins.	Money is measurable and the value of coins can be quantified using cent amounts.	2.MD.C.8 2.NBT.A.2
Solve Problems with Dollar Bills	Money is measurable and can be quantified using dollar and cent amounts. Each kind of bill has a specific value. You can count to find the total value of a group of dollar bills.	2.MD.C.8 2.NBT.A.2
Continue to Solve Problems with Dollar Bills	Each kind of bill has a specific value, and the value of the bills can be used to solve problems about money. Word problems about money can often be solved by adding and subtracting.	2.MD.C.8 2.OA.A.1
Problem Solving: Reasoning	Good Math thinkers know how to think about words and numbers to solve problems.	MP.2
Tell and Write Time to Five Minutes	Time can be told to the nearest 5 minutes. Time can be expressed using different units that are related to each other.	2.MD.C.7 2.NBT.A.2



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

Tell Time Before and After the Hour	Time can be described before and after the hour in different ways.	2.MD.C.7 2.NBT.A.2
A.M. and P.M.	Certain time periods can be described using the abbreviations a.m. or p.m.	2.MD.C.7 2.NBT.A.2



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

**Topic 9: Numbers to 1,000**

**Primary Resource:** *enVision Mathematics Grade 2*, Savvas Learning Company, 2024.

**Enduring Understandings**

- **The Base Ten Numeration System** - The base ten numeration system is a scheme for recording numbers using digits 0-9, groups of ten, and place value.
- **Practices, Processes, and Proficiencies** - Mathematics content and processes are applied to solve problems.

**Essential Question**

- How can you count, read, and show numbers to 1,000?

Lesson Title	Lesson Overview	Standards
Understand Hundreds	Number can be used to tell how many. The number system is based on groups of ten. Whenever there are 10 in one place value, you move to the next greater place value.	2.NBT.A.1a 2.NBT.A.1b
Models and 3-Digit Numbers	The number system is based on groups of ten. Whenever there are 10 in one place value, you move to the next greater place value. Place-value blocks and drawings can be used to model and write three-digit numbers.	2.NBT.A.1b 2.NBT.A.1 2.NBT.A.3
Name Place Value	The position of a digit in a number tells its value. It takes 10 of a number in one place value to make a number in the next greater place value.	2.NBT.A.1b 2.NBT.A.1 2.NBT.A.3
Read and Write 3-Digit Numbers	There are three common ways to write numbers- standard form, word form and expanded form. Each way involves using place value to tell the value of each digit.	2.NBT.A.3 2.NBT.A.1
Different Ways to Name the Same Number	Numbers can be named in many ways. Recalling and using facts about equal amounts (such as 100 is equal to 10 tens, and 10 is equal to 10 ones) can help you name numbers in different ways.	2.NBT.A.3 2.NBT.A.1a
Place-Value Patterns with Numbers	Place-value patterns can help you mentally count by 1s and 10s from a given number.	2.NBT.A.2 2.NBT.B.8



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

Skip count by 5s, 10s, and 100s to 1,000	Place-value patterns and number lines can be used to help you skip count by 5s, 10s and 100s.	2.NBT.A.2 2.NBT.B.8
Compare Numbers Using Place Value	Place-value strategies can be used to compare numbers. The symbols $>$ , $=$ , and $<$ can be used to show how the numbers are related.	2.NBT.A.4 2.NBT.A.1
Compare Numbers on the Number Line	Number lines go on forever in both directions. For every number, there is another number that is greater than it, and another number that is less than it. A number line can be used to help you find numbers that are greater than or less than a given number.	2.NBT.A.4 2.NBT.A.1
Problem Solving: Look for and Use Structure	Good math thinkers look for patterns in math to help solve problems.	MP.7



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

**Topic 10: Add Within 1,000 Using Models and Strategies**

**Primary Resource:** *enVision Mathematics Grade 2*, Savvas Learning Company, 2024.

**Enduring Understandings**

- **The Base Ten Numeration System** - The base ten numeration system is a scheme for recording numbers using digits 0-9, groups of ten, and place value. An understanding of the base ten numeration system is essential for using various addition and subtraction strategies.
- **Basic Facts and Algorithms** - There is more than one algorithm for each of the operations with rational numbers. Some strategies for basic facts and most algorithms for operations with rational numbers, both mental math and paper and pencil, use equivalence to transform calculations into simpler ones.
- **Practices, Processes, and Proficiencies** - Mathematics content and processes are applied to solve problems.

**Essential Question**

- What are strategies for adding numbers to 1,000?

Lesson Title	Lesson Overview	Standards
Add 10 and 100	Place-value patterns and basic facts can be used to help you mentally add 10 or 100 to any given three-digit number.	2.NBT.B.8 2.NBT.B.9
Add on an Open Number Line	Three-digit numbers can be broken apart using hundreds, tens and ones and added in different ways. You can represent how you break apart and add numbers with hops or jumps on an open number line.	2.NBT.B.7 2.NBT.B.9 2NBT.A.2
Add Using Mental Math	When adding three-digit numbers, hundreds are added to hundreds, tens to tens, and ones to ones. You can add starting in any place value. Sometimes you can compose 10 ones for 1 ten or 10 tens for 1 hundred.	2.NBT.B.7 2.NBT.B.9
Continue to Add Using Models and Place Value	When adding three-digit numbers, hundreds are added to hundreds, tens to tens, and ones to ones. You can add starting in any place value. These partial sums can be recorded and added to get the final sum.	2.NBT.B.7 2.NBT.B.9
Add Using Place Value and Partial Sums	When adding three-digit numbers, hundreds are added to hundreds, tens to tens, and ones to ones. You can add starting in any place value. These partial sums can be recorded and added to get the final sum.	2.NBT.B.7 2.NBT.B.9



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

Explain Addition Strategies	When adding three-digit numbers, different strategies can be used to find the correct sum. Place value and properties of operations can be used to explain why most strategies work.	2.NBT.B.9 2.NBT.B.7
Problem Solving: Repeated Reasoning	Good math thinkers look for things that repeat in a problem. They use what they learn from one problem to help them solve other problems.	MP.8



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

**Topic 11: Subtract Within 1,000 Using Models and Strategies**

**Primary Resource:** *enVision Mathematics Grade 2*, Savvas Learning Company, 2024.

**Enduring Understandings**

- **The Base Ten Numeration System** - The base ten numeration system is a scheme for recording numbers using digits 0-9, groups of ten, and place value. An understanding of the base ten numeration system is essential for using various addition and subtraction strategies.
- **Basic Facts and Algorithms** - There is more than one algorithm for each of the operations with rational numbers. Some strategies for basic facts and most algorithms for operations with rational numbers, both mental math and paper and pencil, use equivalence to transform calculations into simpler ones.
- **Practices, Processes, and Proficiencies** - Mathematics content and processes are applied to solve problems.

**Essential Question**

- What are strategies for subtracting numbers to 1,000?

Lesson Title	Lesson Overview	Standards
Subtract 10 and 100	Place-value patterns and basic facts can be used to help you mentally subtract 10 or 100 to any given three-digit number.	2.NBT.B.8 2.NBT.B.9 2.MD.C.8
Subtract on an Open Number Line	Three-digit numbers can be broken apart using hundreds, tens and ones to subtract in different ways. You can represent how you break apart and subtract numbers with hops or jumps on an open number line. You can count back or add up to subtract.	2.NBT.B.7 2.NBT.B.9 2.NBT.A.2
Subtract Using Models	When subtracting 3-digit numbers, hundreds are subtracted from hundreds, tens from tens, and ones from ones. You can subtract starting in any place value. Sometimes you can decompose 1 hundred into 10 tens or 1 ten into 10 ones.	2.NBT.B.7 2.NBT.B.9
Subtract Using Models and Place Value	When subtracting 3-digit numbers, hundreds are subtracted from hundreds, tens from tens, and ones from ones. You can subtract starting in any place value. Subtracting to find partial differences can be recorded to get the final difference.	2.NBT.B.7 2.NBT.B.9 2.MD.C.8
Explain Subtraction Strategies	When subtracting 3-digit numbers, different strategies can be used to find the difference. Sometimes you can decompose 1 hundred into 10 tens or 1 ten into 10 ones. Place value and properties of operations can be used to explain why most strategies work.	2.NBT.B.7 2.NBT.B.9



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

Problem Solving: Persevere	Good math thinkers know what the problem is about. They have a plan to solve it. They keep trying if they get stuck.	MP.1
----------------------------	--	------



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

**Topic 12: Measuring Length**

**Primary Resource:** *enVision Mathematics Grade 2*, Savvas Learning Company, 2024.

**Enduring Understandings**

- **Measurement** - Some attributes of objects are measurable and can be quantified using unit amounts. Length is the distance along an object measured end-to-end, which involves both a number and a unit. Students need to be engaged in learning situations where they measure length using customary and metric units.
- **Practices, Processes, and Proficiencies** - Mathematics content and processes are applied to solve problems.

**Essential Question**

- What are ways to measure length?

Lesson Title	Lesson Overview	Standards
Estimating Length	The length of a known object can be used to estimate the length of another object to the nearest inch, foot, or yard.	2.MD.A.3
Measure with Inches	Length and height are measurable in inches.	2.MD.A.3 2.MD.A.1
Inches, Feet, and Yards	Length and height are measurable in inches, feet, and yards.	2.MD.A.1 2.MD.A.3
Measure Length Using Different Customary Units	When measuring length, the longer the chosen unit, the fewer units are needed; The shorter the unit, the more units are needed.	2.MD.A.1 2.MD.A.2
Measure with Centimeters	Length and height are measurable in centimeters.	2.MD.A.1 2.MD.A.3
Centimeters and Meters	Length and height are measurable in centimeters and meters.	2.MD.A.1 2.MD.A.3
Measure Length Using Different Metric Units	When measuring length, the longer the chosen unit, the fewer units are needed; The shorter the unit, the more units are needed.	2.MD.A.1 2.MD.A.2



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

Compare Lengths	The lengths of two objects can be compared by subtracting to find the difference.	2.MD.A.4 2.MD.A.5
Problem Solving: Precision	Good math thinkers are careful about what they write and say, so their ideas about math are clear.	MP.6



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

**Topic 13: Shapes and Their Attributes**

**Primary Resource:** *enVision Mathematics Grade 2*, Savvas Learning Company, 2024.

**Enduring Understandings**

- **Geometric Figures** - Two- and three-dimensional geometric figures can be described, classified, and analyzed by their attributes. Students come to understand that geometric shapes have attributes that distinguish one from another.

**Essential Question**

- How can shapes be described, compared, and broken into parts?

Lesson Title	Lesson Overview	Standards
2-Dimensional Shapes	Two-dimensional shapes can be classified and sorted based on their attributes.	2.G.A.1 2.OA.B.2
Polygons and Angles	Polygons can be described by their number of sides and angles.	2.G.A.1 2.MD.A.1
Draw 2-Dimensional Shapes	Two-dimensional shapes can be defined and differentiated based on attributes. These attributes can be used to draw a specific two-dimensional shape.	2.G.A.1 2.MD.A.1
Cubes	You can describe a cube by talking about its faces, edges, and vertices. Knowing these attributes helps you draw a cube.	2.G.A.1 2.MD.A.1
Equal Shares	A rectangle can be partitioned into rows and columns of squares that are all the same size; you can count or add in different ways to find the total number of squares.	2.G.A.2 2.OA.C.4
Partition Shapes	A whole can have equal shares called halves, thirds, and fourths. You can show halves, thirds, and fourths of the same whole in different ways.	2.G.A.3 2.MD.A.2
Equal Shares, Different Shapes	You can partition a whole into equal shares in different ways. Equal shares of the same whole do not have to have the same shape.	2.G.A.3 2.OA.C.4



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

Problem Solving: Repeated Reasoning	Good math thinkers look for things that repeat in a problem. They use what they learn from one problem to help them solve other problems.	MP.8
-------------------------------------	---	------



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

**Topic 14: More Addition, Subtraction, and Length**

**Primary Resource:** *enVision Mathematics Grade 2*, Savvas Learning Company, 2024.

**Enduring Understandings**

- **Measurement** - Some attributes of objects are measurable and can be quantified using unit amounts.
- **Practices, Processes, and Proficiencies** - Mathematics content and processes are applied to solve problems.

**Essential Question**

- How can you add and subtract lengths?

Lesson Title	Lesson Overview	Standards
Add and Subtract with Measurements	Measurements in the same unit, such as inches, can be added or subtracted in the same way as adding and subtracting whole numbers. The measurement unit needs to be written with the sum or difference.	2.MD.B.5 2.OA.A.1
Find Unknown Measurements	Pictures and equations can be used to solve word problems involving measurements. Measurements can be added and subtracted in the same way as other whole numbers.	2.MD.B.5 2.OA.A.1
Continue to Find Unknown Measurements	Pictures and equations can be used to solve word problems involving measurements. Measurements can be added and subtracted in the same way as other whole numbers.	2.MD.B.5 2.OA.A.1
Add and Subtract on a Number Line	A sum can be represented as the total length of two line segments on a number line. A subtraction problem can be represented as the difference of two line segments on a number line.	2.MD.B.6 2.OA.A.1
Problem Solving: Use Appropriate Tools	Good math thinkers know how to pick the right tools to solve math problems.	MP.5



**HARFORD COUNTY PUBLIC SCHOOLS  
GRADE 2 MATHEMATICS CURRICULUM**

**Topic 15: Graphs and Data**

**Primary Resource:** *enVision Mathematics Grade 2*, Savvas Learning Company, 2024.

**Enduring Understandings**

- **Data Collection and Representation** - Some questions can be answered by collecting and analyzing data, and the question to be answered determines the data that needs to be collected and how best to collect the data. Data can be represented visually using tables, charts, and graphs. The type of data determines the best choice of visual representation.
- **Practices, Processes, and Proficiencies** - Mathematics content and processes are applied to solve problems.

**Essential Question**

- How can line plots, bar graphs, and picture graphs be used to show data and answer questions?

Lesson Title	Lesson Overview	Standards
Line Plots	The lengths of objects can be organized in different ways. A line plot can be used as a visual representation of the relative lengths of objects.	2.MD.D.9 2.MD.A.1
More Line Plots	Different types of data can be displayed on a line plot. Line plots are useful for organizing large sets of data.	2.MD.D.9 2.MD.A.1
Bar Graphs	Bar graphs can be used to organize and display data. The height, or length, of bars in a bar graph makes it easy to compare data.	2.MD.D.10 2.OA.A.1
Picture Graphs	Picture graphs use a single symbol to show data. This makes it easy to compare two or more categories.	2.MD.D.10 2.OA.A.1
Draw Conclusions from Graphs	Picture graphs and bar graphs are useful tools for comparing data and drawing conclusions.	2.MD.D.10 2.OA.A.1
Problem Solving: Reasoning	Good math thinkers know how to think about words and numbers to solve problems.	MP.2